Jet Propulsion Laboratory
California Institute of Technology

JPL/NASA and Space Exploration

Insoo Jun

Jet Propulsion Laboratory, California Institute of Technology

November 6, 2018

Topics

- Introduction:
  - JPL
  - Natural Space Environments (NSE) Group
  - Myself
- Solar System Exploration
  - Europa
  - Psyche
  - Mars Exploration Program
    - MSL
    - M2020

NASA Vision Statements

Expand the frontiers of knowledge, capability, and opportunity in space

OUR MISSION

Drive advances in science, technology, aeronautics, and space exploration to enhance knowledge, education, innovation, economic vitality, and stewardship of Earth

Serve the American public and accomplish our Mission by effectively managing our people, technical capabilities, and infrastructure

Advance understanding of Earth and develop technologies to improve the quality of life on our home planet

NASA Centers

Science is the largest mission directorate within NASA

Item	2017 Obama request	2017 Congress approved	2018 Trump request	2018 Omnibus
NASA TOTAL	**$19,025**	**$19,653**	**$19,092**	**$20,736**
SCIENCE				
Earth	$2,032	$1,921	$1,754	$1,921
Planetary	$1,519	$1,846	$1,930	$2,228
Astrophysics	$782	$750	$817	$850
JWST	$569	$569	$534	$534
Heliophysics	$699	$679	$678	$689
TOTAL	$5,600	$5,765	$5,712	$6,222
AERONAUTICS				
TOTAL	$790	$660	$624	$685
SPACE TECHNOLOGY				
TOTAL	$827	$687	$679	$760
EXPLORATION				
Orion	$1,120	$1,350	$1,186	$1,350
SLS	$1,310	$2,150	$1,938	$2,150
Ground systems	$429	$429	$460	$895
Exploration sys subtotal	$2,859	$3,929	$3,584	$4,395
R & D	$477	$395	$350	$395
TOTAL	$3,337	$4,324	$3,934	$4,790
SPACE OPERATIONS				
Commercial crew	$1,185		$1,683	
Crew & cargo	$1,573		$732	
Space trans subtotal	$2,758		$2,415	
ISS	$1,431		$1,491	
TOTAL	$5,076	$4,951	$4,741	$4,752
EDUCATION				
TOTAL	$100	$100	$37	$100
SAFETY / SEC / SERVICES				
TOTAL	$2,387	$2,769	$2,830	$2,827
CONST / ENVIRO				
TOTAL	$120	$361	$496	$562
OIG				
TOTAL	$38	$38	$39	$39
NASA TOTAL	**$19,025**	**$19,653**	**$19,092**	**$20,736**

5

JPL is part of NASA and Caltech

- Federally (NASA)-owned “Federally-Funded Research and Development Center” (FFRDC)
- University (Caltech)-operated
- >$2 billion business base
- >6,000 employees
- 177 acres (Includes 22 acres leased for parking)
- 139 buildings and 36 trailers
- 673,000 net square feet of office space
- 906,000 net square feet of non-office space (e.g., labs)

NASA

JPL ⟷ CalTech

JPL's primary mission is robotic space exploration

- Solar system
- Exoplanets
- Astrophysics
- Earth Science
- Interplanetary network



Thirty-nine spacecraft and instruments across the solar system (and beyond) – as of 2017



> 10 Future Missions (Planned)















Pre-Decisional Information -- For Planning and Discussion Purposes Only

JPL's Natural Space Environment Group

- Supports all JPL space-flight missions for the space environments and effects
  - Radiation (environment, shielding, charging, ….),
  - Meteoroids, Debris (MMOD)
  - Atomic Oxygen, Dust,
- Tasked with understanding environment hazards, to direct the design of robotic spacecraft we send into the solar system
- We strive to contribute to model development or improvement
  - e.g. models of solar proton fluence, outer-planet trapped radiation, meteoroids
  - Radiation environment monitoring
- Is the JPL lead for nuclear planetology (Gamma ray and neutron spectroscopy)

What do I do?

- Administrative
  - Group supervisor-– Natural Space Environments Group, JPL
  - Chief Technologist for Reliability and Mission Environments Assurance Office
  - JPL lead for NASA Space Environment Capability Leadership Team (CLT)
- Scientific and Technical
  - Science Team:
    - Europa Clipper
    - MSL
    - Psyche
  - Europa Lander (Pre-project) – Radiation Lead
  - Co-lead for developing the Center for Space Radiation
  - Deputy Tech Fellow for for NASA Space Environment Technica
  - Space Weather Architecture WG
- Thesis advisor for two PhD students (MIT and TAMU)
  - MIT done
  - Looking for another one for Juno data analysis
- On-going collaboration with Universities
  - MDAP (with University of Tennessee) – MSL DAN and RAD dat
  - SURP (with University of Colorado) – Juno data analysis

Recent Recognition

- 2018 NASA Exceptional Public Service Medal (EPSM)
  - *For exceptional service in the field of space radiation, developing engineering capabilities and mitigating damages to enable NASA mission success*

- Citation to the Europa Clipper Science Team
  - *Dr. Jun is the Chief Technologist …… He is a world expert in the radiation environment of Europa and the Jupiter system, and he has worked extensively on all of JPL's Jupiter mission projects and studies for radiation-related issues, typically as the radiation lead. …..*

Europa Mission

The Ocean That Beckons



Europa, with its probable vast subsurface ocean sandwiched between a potentially active silicate interior and a highly dynamic surface ice shell, offers ***one of the most promising extraterrestrial habitable environments****, and a plausible model for habitable environments beyond our solar system*

The Planetary Decadal Survey, 2011

Achieving Decadal Science

"The first step in understanding the potential of the outer solar system as an abode for life is a Europa mission with the goal of

- *Confirming the presence of an interior ocean,*
- *Characterizing the satellite's ice shell, and*
- *Enabling understanding of its geologic history"*

– The Planetary Decadal Survey, 2011







Europa Clipper Goals and Objectives

- ***Science Goal:*** *Explore Europa to investigate its habitability*
  - **Ocean & Ice Shell:** Characterize ice shell and subsurface water, including heterogeneity, ocean properties, and surface-ice-ocean exchange
  - **Composition:** Understand habitability of Europa's ocean through composition and chemistry
  - **Geology:** Understand formation of surface features, including sites of recent or current activity, and characterize high science interest localities



- ***Reconnaissance Goal:*** *Characterize Safe and Scientifically Compelling Sites for a Future Lander Mission to Europa*
  - Distribution of surface hazards, load-bearing capacity of surface, structure of the subsurface, and regolith thickness
  - Composition of surface materials, geologic context, potential for geologic activity, proximity of near surface water, and potential for active upwelling of ocean material



Europa: Ingredients for Life?

Water: Are a global ocean and lakes hidden by Europa's shell of ice?





Plumes at Europa!
(Roth et al., 2013)



Chemistry: Do red surface deposits contain organics from below?

Energy: Can surface oxidants provide energy for metabolism?


NASA-Selected
Europa Instruments
Radiation Science
Working Group
MASPEX
Mass Spectrometer
PI: J. Hunter Waite
SwRI, San Antonio
SUDA
Dust Analyzer
PI: Sascha Kempf
Univ. Colorado, Boulder
ICEMAG
Magnetometer
PI: Carol Raymond
JPL-Caltech
PIMS
Faraday Cups
PI: Joe Westlake
JHU-APL
Europa-UVS
UV Spectrograph
PI: Kurt Retherford
SwRI, San Antonio
EIS
Narrow-Angle Camera +
Wide-Angle Camera
PI: Zibi Turtle
JHU-APL
MISE
IR Spectrometer
PI: Diana Blaney
JPL-Caltech
E-THEMIS
Thermal Imager
PI: Phil Christensen
Arizona State Univ.
REASON
Ice-Penetrating Radar
PI: Don Blankenship
Univ. Texas Inst. Geophys.
Radiation Science
Working Group
Gravity Science
Working Group
Remote Sensing
In Situ

Europa Mission Concept Overview





Mission Plan	
Earliest potential launch date	6 June 2022
Earliest Jupiter Arrival	5 Mar 2025 (if SLS launch)
Science Tour	~42 Europa Flybys in prime mission
Primary Mission End	6 Dec 2028 (Ganymede Impact)

Planetary Magnetospheres in the Solar System



Earth

Physical properties of the planets and the Sun. Values are based on the HORIZON system [Giorgini et al., 1996].

Planetary Characteristics



PHYSICAL PROPERTIES:	Earth	Jupiter	Saturn	Uranus	Neptune
Equatorial radius (km)	6378	71492	60268	25559	24766
Mass (kg)	5.97E+24	1.90E+27	5.68E+26	8.68E+25	1.02E+26
Semi-major axis (AU)	1	5.2	9.54	19.19	30.07
Sidereal day (hr)	23.93	9.89	10.61	17.14	16.7
Dipole tilt (deg)	11.3	9.6	0	58.6	47
Dipole offset (rp)	0.0725	0.131	0.04	0.3	0.55
Magnetic moment (G-Rp^3)	0.305	4.28	0.21	0.228	0.133

Jupiter's Magnetosphere

	Earth	Jupiter
Equatorial radius (km)	6.38×10^3	7.14×10^4
Magnetic moment (G-cm^3)	8.1×10^{25}	1.59×10^{30}
Rotation period (hr)	24.0	10.0
Aphelion/perihelion (AU)	1.01/0.98	5.45/4.95

- Jupiter is roughly 10 times the size of the Earth while its magnetic moment is 20,000 times larger.
- As the magnetic field at the equator is proportional to the magnetic moment divided by the cube of the radial distance, the Jovian magnetic field is proportionally 20 times larger than the Earth's.

The energy and flux levels of trapped particles in the Jovian system can be much higher than those at the Earth or in the interplanetary space

Jupiter

Europa sits in the middle of the strongest planetary magnetosphere in our solar system. It is very different from Earth, Mars, or Saturn. High energy particles are trapped in the most intense radiation belts that we know of. Jupiter’s magnetosphere rotates quickly and Io is a large source for low energy particles.



Psyche Mission

Why (16) Psyche?



- Likely largest metallic object in solar system : ~279 x 232 x 189 km (Shepard et al., 2017)
- Good evidence for Fe-Ni metal composition
  - High density (4,500-7,600 kg m^{-3})
  - Spectra: 10% silicate, 90% metal
  - High radar albedo (0.37 ± 0.09)

Image credit: Christopher Sullivan

Psyche: Looking inside planets with a journey to a metal world

Science Goals

- ***Look back in time.*** Understand a previously unexplored component of the early building blocks of planets: *iron cores.*
- ***Look inside the terrestrial planets***, including Earth, by directly examining the interior of a differentiated body, which otherwise could not be seen.
- ***Explore a new type of world***. For the first time, examine a world made not of rock or ice, but of iron.

Mission Description

- Target: (16) Psyche
- Spacecraft Partner: JPL flight system w/SSL SEP chassis
- Launch Date: Nov 2021
- Arrival Date: Jan 2026
- Science Phase duration: 12 months

Payload

- Magnetometer: MIT/UCLA (MMS/Insight)
- Multispectral imager x 2: ASU/MSSS (MSL heritage)
- **Gamma Ray/Neutron Spectrometers: APL (MESSENGER heritage)**
- Gravity Science: X-band telecom, no dedicated hardware



Science Objectives

A. Determine whether Psyche is a core, or if it is unmelted material.

B. Determine the epoch of formation of Psyche by measuring the relative ages of regions of its surface.

C. Determine whether small metal bodies incorporate the same light elements as are expected in the Earth's high-pressure core.

D. Determine whether Psyche was formed under more oxidizing or more reducing conditions that Earth's core.

E. Characterize Psyche's topography.



Psyche's Instrument Suite



Magnetometer

- MIT lead/UCLA built
- 2 sensors
- 0.66 kg total
- 2-m boom (gradiometer)
- 0.2 – 100,000 nT range
- MMS, Insight heritage



Multispectral Imager

- ASU lead/MSSS built
- Redundant units
- 2.9 kg each
- 8 filters
- 35 m/pixel highest orbit
- 5 m/pixel lowest orbit
- MSL Mastcam heritage

Gamma Ray and Neutron Spectrometer

- APL
- 9.6 kg, 2-m boom
- High Purity Ge detector
- He^3 sensor (thermal neutrons)
- MESSENGER heritage



THANK YOU!

QUESTIONS?

BACKUP

30


NASA'S JOURNEY TO
MARS



Operational 2001–2017
2018
2020 and Beyond
Mars Odyssey
Mars Express (ESA)
Mars Reconnaissance Orbiter
MAVEN
Mars Orbiter Mission (ISRO)
Trace Gas Orbiter (ESA/RSA)
HOPE (UAE)
Planning for the Future
ExoMars Rover (ESA/RSA)
SpaceX Dragon
Opportunity Rover
Curiosity Rover
InSight
M2020 Rover
Mars Rover (China)
Follow the Water
Explore Habitability
Seek Signs of Life
Prepare for Future Human Explorers

MARS SCIENCE LABORATORY (CURIOSITY)

Curiosity’s primary scientific goal is to explore and quantitatively assess a local region on Mars’ surface as a potential habitat for life, past or present

- Biological potential
- Geology and geochemistry
- Water and weather
- Radiation hazards



NASA/JPL-Caltech



Curiosity's Science Payload

Landing and Mobility



CRUISE/APPROACH

- 8-month cruise
- Arrived August 5th, 2012

ENTRY, DESCENT, LANDING

- Guided entry and powered "sky crane" descent
- 20×25-km landing ellipse
- Access to landing sites ±30° latitude, <0 km elevation
- 900 kg rover



SURFACE MISSION

- Long-lived Plutonium power source
- Ability to drive out of landing ellipse, up 100 m per sol
- 84 kg of science payload
- Direct (uplink) and relayed (downlink) communication

LAUNCH

- Nov-2011
- Atlas V (541)





- Cleans rock surfaces with a brush
- Places and holds the APXS and MAHLI instruments
- Acquires samples of rock or soil with a powdering drill or scoop
- Sieves the samples (to 150 µm or 1 mm) and delivers them to instruments or an observation tray
- Exchanges spare drill bits

Curiosity’s Sampling System

How do we get there?



Mars Landing Sites

(Previous Missions and MSL Final Candidates)





150-km Gale Crater contains a 5-km high mound of stratified rock. Strata in the lower section of the mound vary in mineralogy and texture, suggesting that they may have recorded environmental changes over time.

CURIOSITY

Kicking up dust just prior to landing

August 5, 2012: "Touchdown confirmed."
"Time to see where our Curiosity will take us."

Curiosity self-portrait at Rocknest

Assembled from 55 MAHLI images

Shows four scoop trenches and wheel scuff





Mars Science Laboratory Traverse
Site 72, Drive 2464
Sol 2166
As of Sol 2166 (from the landing site: 19.745 km).
September 10, 2018
137°20'E
137°25'E
30'
4°36'S
4°40'S
4°44'S
Landing Ellipse Boundary
Rover Way Points
Traverse
BRADBURY LANDING
YELLOWKNIFE BAY
GLENELG
Jake Matejevic
Point Lake
John Klein & Cumberland
Shaler
Rocknest
Coronation
Hottah
Elsie Mt.
Kennedy Mt.
Clarabelle
Twin Cairns Island
Macquarie Island
Prospect Mesa
Allan Nunatak
Arena Mt.
Darwin
Slide Mt.
Port Ewen
Beers Hill
Schenectady
Portland Point
Rondout
Moonlight Valley
Dingo Gap
Gilboa
Violet Valley
Cooperstown
Junda
Kylie
Emu Point
Mt. Joseph
Windjana
Mt. Remarkable
Wesley Yard
Robert Frost Pass
Littleton
Amargosa Valley
Panamint Butte
Zabriske Plateau
Cut Bank Valley
Pahrump Hills
Nopah Range
Artist's Drive
Blackfoot Valley
McDonald Peak
Neihart Ridge
Marias Pass
Cabinet Range
Naukluft Plateau
High Dune
Namib Dune
Helgas Dune
Kahani Dune
Marimba
Noctivaga Dune
Quela
Sebina
Old Soaker
Mt Desert Island
Ireson Hill
Ogunquit Beach
Nathan Bridges Dune
361
378
410
409
470
655
661
664
669
670
683
957
1221
1378
1194
1399
1428
1439
1438
1469
1485
1503
1501
1512
1676
1685
1684
1741
1787
1721
1781
2089
2115
1822
1867
1944
2163
2166
METERS
0
500
1000
Projection: Equidistant Cylindrical, central longitude = 0, central latitude = 0, spherical Mars radius = 3396190 m
Data Sources: NASA/JPL-Caltech (traverse and place names) /Univ. of Az (HiRISE)/MSSS (CTX)/USGS (elevation data)
1993
2157
1991
1989
2161
1986
2163
2166
1985
1962
1950
METERS
0
10
20
1 m contour lines based on HiRISE DEM tied to MOLA elevation

An Ancient Habitable Environment at Yellowknife Bay

- The regional geology and fine-grained rock suggest that the John Klein site was at the end of an ancient river system or within an intermittently wet lake bed

- The mineralogy indicates sustained interaction with liquid water that was not too acidic or alkaline, and low salinity. Furthermore, conditions were not strongly oxidizing.

- Key chemical ingredients for life are present, such as carbon, hydrogen, nitrogen, oxygen, phosphorus, and sulfur

- The presence of minerals in various states of oxidation would provide a source of energy for primitive organisms

Notes on Organics

- This is the first-ever detection of a martian organic chemical.
- It took many analyses of rocks and soils, as well as additional analyses of blanks and calibration standards on Mars and on Earth, in order to verify this discovery.
- SAM detected simple hydrocarbon molecules in which some of the hydrogen was replaced with chlorine. This could have happened on Mars, or within the instrument, through reaction with perchlorate compounds that are known to be widespread on Mars.
- Simple organic molecules do not require biology for their formation. However, they are building blocks of life. More importantly, we now can study what environments preserve organics on Mars' surface, increasing our ability to search for other life-related materials.



NASA/JPL-Caltech/ESA/DLR/FU Berlin/MSSS

An illustration of lake partially filling Gale Crater. If such a lake existed for millions of years, it would have required a more humid climate and active hydrological cycle.

Recent Accomplishments

Since our January Science Team Meeting:

- Completed six Earth years and three Mars years of surface operations
- Returned to drilling!
  - Non-percussive drilling attempts at Lake Orcadie (1 and 2)
  - Successful percussive drilling and sample delivery at Duluth
  - Percussive drilling attempts at Ailsa Craig, Voyageurs, and Inverness
  - Successful percussive drilling and sample delivery at Stoer
- Completion of the Vera Rubin Ridge campaign minus sampling
- Development of science goals and strategic route for the clay-bearing unit
- Execution of a global dust storm campaign
- Publication of organics and methane *Science* papers and press conference
- Publication of Bagnold Dunes Phase 2 special issue in *GRL*
- Publication of 2017 solar particle event special issue in *Space Weather*



NASA/JPL-Caltech/Univ. of Arizona

Curiosity's ultimate goal is to explore the lower reaches of the 5-km high Mount Sharp



Curiosity is more steeply climbing Mount Sharp in the second two-year extension of its mission



NASA/JPL-Caltech/MSSS

Curiosity's Extended Mission will explore Mt. Sharp, with an emphasis on understanding the subset of habitable environments that preserve organic carbon


NASA/JPL-Caltech/MSSS


NASA/JPL-Caltech/MSSS

Mars exploration results are strong evidence that early Mars was warm and wet.

Aqueous minerals, high silica deposits, long-lived lakes in Gale Crater would be possible only with an active hydrological cycle and other bodies of water.

Mars was habitable, could have been inhabited, may be today, and could be in the future.



MARS 2020

Project Overview

Salient Features

- *Category: 1*
- *Risk Class: A-tailored*
- *Directed, JPL in-house implementation*
- *High heritage MSL design*
- *Modifications only as necessary to accommodate new payload and Sampling / Caching System (SCS)*
- *Planetary Protection Category V per Program direction*



Science (https://mars.nasa.gov/mars2020/mission/science/objectives/)

- *Characterize the processes that formed and modified the geologic record within a field exploration area on Mars selected for evidence of an astrobiologically-relevant ancient environment and geologic diversity.*
- *Perform the following astrobiologically relevant investigations on the geologic materials at the landing site:*
    1. *Determine the habitability of an ancient environment.*
    2. *For ancient environments interpreted to have been habitable, search for materials with high biosignature preservation potential.*
    3. *Search for potential evidence of past life using the observations regarding habitability and preservation as a guide.*
- Assemble rigorously documented and returnable cached samples for possible future return to Earth.
- *Contribute to the preparation for human exploration of Mars by making significant progress towards filling at least one major Strategic Knowledge Gap (SKG).*

Mission Overview

LAUNCH

- Atlas V 541 vehicle
- Launch Readiness Date: July 2020
- Launch window: July/August 2020

CRUISE/APPROACH

- ~7 month cruise
- Arrive Feb 2021

ENTRY, DESCENT & LANDING

- MSL EDL system (+ Range Trigger and Terrain Relative Navigation): guided entry and powered descent/Sky Crane
- 16 x 14 km landing ellipse (range trigger baselined)
- Access to landing sites ±30° latitude, ≤ -0.5 km elevation
- Curiosity-class Rover

SURFACE MISSION

- 20 km traverse distance capability
- Enhanced surface productivity
- Qualified to 1.5 Martian year lifetime
- Seeking signs of past life
- Returnable cache of samples
- Prepare for human exploration of Mars

Mars 2020 Rover Concept



Stays the Same as MSL

- Avionics
- Power
- GN&C
- Telecom
- Thermal
- Mobility

Changed

- New Science Instrument Suite
- New Sampling Caching System
- Modified Chassis
- Modified Rover Harness
- Modified Surface FSW
- Modified Rover Motor Controller
- Modified Wheels

Mars 2020 Rover



https://www.jpl.nasa.gov/spaceimages/details.php?id=PIA19672